


MELINK®



*Intelli-Hood*®  
Kitchen Ventilation Controls



*Save Up to 50% in Kitchen Hood Energy Costs*

# Melink Intelli-Hood®

## A Smart Solution to an Industry Problem

The Melink Intelli-Hood® controls are the new industry standard for commercial kitchen ventilation systems. Engineers, consultants and operators are specifying them on thousands of hoods for both new and existing stores.


### Savings & Benefits

The Intelli-Hood® controls improve hood efficiency up to 50%. Typical annual operating savings are \$1,500-\$3,000 per hood, with a payback of 1-3 years. They also improve kitchen comfort, indoor air quality, and fire safety.

### Simple to Use

The cook/chef presses the light and fan switch on the Keypad. That's it!

The hood lights then turn on and the fans go to a preset minimum speed of 10-50%. When the cooking appliances are turned on, the fan speed increases based on exhaust air temperature. During actual cooking, the speed increases to 100% until the smoke/vapor is removed.



*The Intelli-Hood® controls can be specified on new hoods or be retrofitted on existing hoods.*




*The Intelli-Hood® Keypad is easy to operate.*

*Most commercial kitchen hoods operate at 100% capacity all day, even during idle non-cooking periods. This costs the U.S. food service industry over \$2 billion in wasted energy every year.*

*The Melink Intelli-Hood® controls are the only proven solution to this problem. Using a microprocessor and sensors, they reduce fan speed during idle periods to save both fan energy and conditioned air.*

# Proven Technology & Easy to Operate

The **Air Purge Units** prevent grease vapors from entering the Optic Sensor housings and collecting on the lenses. Minimizes the need for wiping off lenses to once a month, typically. (Not required for heat-only applications.)




The **Temperature Sensor** monitors the exhaust air temperature in the duct. A signal is transmitted to the I/O Processor to vary the fan speed in proportion to the actual heat load. (To optimize energy savings and kitchen comfort, additional temperature sensors can monitor the outside air and kitchen space temperature.)




The **Electronic Motor Starter** is a VFD that receives a start/stop command and a 4-20ma signal from the I/O Processor. It varies the fan speed between a minimum and maximum setting based on the actual heat and smoke load.



The **Optic Sensors** monitor when actual cooking is taking place. Upon the detection of any smoke/vapors inside the hood, they send a signal to the I/O Processor to speed up the fans to 100% until the effluent is effectively removed. (Not required for heat-only applications.)




The **I/O Processor** controls the lights and fan for up to four hoods. It is typically mounted in an end-cabinet, and communicates between the hood sensors and Electronic Motor Starter(s) via plug-and-play cables. It is also connected to the Keypad mounted on the front face of one of the hoods for easy user interface.



The **Keypad** provides a wide range of functions: light and fan operation, 100% bypass capability, system setup (minimum speed, temperature span) and monitoring (fan speed percentage, temperature, diagnostics). One Keypad can control up to two I/O Processors or eight hoods.



## Intelli-Hood® Kitchen Ventilation Controls



U.S. Patent # 4,903,685  
U.S. Patent # 6,170,480 B1  
U.S. Patent # 7,048,199  
Additional Patents Pending

Approvals  
UL Listed, CSA Listed, CE; complies with all applicable codes and standards including NFPA 96, IMC, BOCA, SBCCI, UMC and NSF.

# Melink Intelli-Hood®

*A New Standard in  
Kitchen Ventilation*

**Intelli-Hood®**   
Kitchen Ventilation Controls

## Savings & Benefits



### Improves Energy Efficiency

The Intelli-Hood® controls improve energy efficiency by reducing the exhaust and make-up fan speeds during idle periods. Typical annual operating savings are \$1,500-\$3,000 per hood, with a payback of 1-3 years.



### Improves Kitchen Comfort

The Intelli-Hood® controls improve kitchen comfort by reducing the supply of hot/humid make-up air during idle periods. They also serve as an economizer when indoor and outdoor conditions are right for free cooling. Finally, the Intelli-Hood® controls reduce hood noise in the kitchen up to 90% when the fans slow down.



### Improves Fire Safety

The Intelli-Hood® controls can improve fire safety by monitoring the exhaust air temperature. If the temperature approaches the fusible link rating of the fire suppression system, an alarm can sound and/or the cooking appliances can be shut down.



### Improves Occupant Health

The Intelli-Hood® controls can improve indoor air quality (IAQ) by monitoring the CO<sub>2</sub> levels in the dining area. The exhaust and outside air quantities can be increased to 100% if the level exceeds a certain threshold.

## Other Intelli-Hood® Advantages

1. *Eliminate drive losses and belt maintenance by specifying direct drive fans.*
2. *Reduce humidity problems associated with a negative building pressure.*
3. *Improve hood and building air balance with variable-speed controls (verses belts and pulleys).*
4. *Extend HVAC equipment life by reducing run time and thus wear/tear of compressors, motors, heaters, etc.*
5. *Prevent simultaneous MUA heating and RTU cooling inside the kitchen during the winter.*
6. *Reduce grease on roof and inside ducts and fans by reducing the "transport" velocity.*

# MELINK®

### MELINK CORPORATION

5140 River Valley Road, Milford, Ohio 45150 USA

Phone: 513-965-7300 • Fax: 513-965-7353

[www.melinkcorp.com](http://www.melinkcorp.com)